





















































MAREX 310 Sun Cruiser

TECHNICAL SPECIFICATION

Hull type:	Planning
CE category:	В
Length:	9,46
Beam:	3.22
Depth:	0,97
Height over waterline with mast:	2,97m
Height over waterline without mast:	2,60m
Empty weight standard boat:	4500 kg
Berths:	4 + 2
Diesel tank:	440 L
Fresh water tank:	280 L
Blackwater tank:	150 L
Width of side decks:	25 cm
Number of persons recommended:	8
Seats:	8
Batteries:	3 + 1 = 385 /

STANDARD EQUIPMENT

- Battery charger and shore connection with 25m. cable
- Window wipers & washer water from main fresh water tank
- Radio and speakers
- El. main switches w/battery monitoring
- Battery pack (deep discharge + start)
- Interceptors
- Fire alarm in cabins
- Teak floor in cockpit/engine hatch
- Automatic bilge pump
- Antifouling boat + sterndrive
- Hotwater w/230V-boiler
- Bimini on aft sundeck
- Shower on platform
- Hydraulic steering
- Bow propeller
- Gas cooker

MEASUREMENTS

Headroom under the canopy: 2.05 m Headroom front cabin: 1.87 m Headroom changing room: 1.91 m Headroom toilet: 1.92 m



A/S Marex

Leangbukta 34, 1392 Vettre, Norway Phone: +47 66 76 27 90 marex@marex.no

We reserve the right to change the specifications without prior notice. Pictures may not reflect standard equipement. The numbers are approximate and can vary from boat to boat.

VOLVO PENTA